

Technical Data Sheet

Page 1 of 2

Properties:	AKEMI® Acid Cleaner free of hydrochloric acid is a cleaning concentrate on the basis of organic acids with non-ionic surfactants and auxiliary agents. The surfactants contained are in accordance with the presently valid laws governing surface-active substances and are biodegradable. The product is characterised by the following properties:	
	<ul style="list-style-type: none">- free of hydrochloric acid- no corrosive vapours- very fast and high efficiency- free of solvents- low odour	
Application Area:	AKEMI® Acid Cleaner free of hydrochloric acid is used for an initial or basic cleaning. It removes cement film and the remains of limestone and mortar as well as remains of plasticized, mineral joint mortar and films of stone care products from acid-resistant fine stoneware, clinker and ceramic surfaces and the like. It can be used indoors and outdoors.	
Instructions for Use:	<ol style="list-style-type: none">1. According to the degree of soiling, apply purely or dilute with cold water in a ratio of 1:20.2. Allow to work for 5-15 minutes.3. In case of stubborn dirt use a brush or a scrubber.4. Then rinse thoroughly with clean water. To remove the water we recommend to use a wet/dry canister vacuum cleaner. Repeat process until all traces of Cement Film Remover have been removed.	
Special Notes:	<ul style="list-style-type: none">- Prepare a sample area to examine material consumption, appearance and efficiency.- Do not use on slabs which are sensitive to acids, e.g. fine ground or polished limestone, marble or concrete ashlar, tiles, anodized aluminium or enamel. Ignoble metals s.a. iron, zinc, aluminium and the like may be corroded by the product. If in doubt, try at an inconspicuous area.- Do not use together with hot water.- Do not allow contact with plants, otherwise rinse immediately with plenty of water. Do not allow concentrated or diluted solution to gain access to cultivated land.- For adequate waste disposal container must be completely emptied.	
Technical Data:	Coverage:	approx. 15 – 20 m ² /liter (undiluted)
	Colour:	yellowish, clear transparent
	Density:	approx. 1.12 g/cm ³
	Ph value:	< 1
Storage:	2 years if stored in cool place free from frost in its tightly closed original container.	
Health & Safety:	Read Material Safety Data Sheet before handling or using this product.	

TDS 11.14

Technical Data Sheet

Page 2 of 2

Important Notice:

The above information is based on the latest stage of development and application technology. Due to a multiplicity of different influencing factors, this information – as well as other oral or written technical advises – must be considered as non-binding hints. The user is obliged in each particular case to conduct performance tests, including but not limited to trials of the product, in an inconspicuous area or fabrication of a sample piece.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 14

Revision: 11.12.2020

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: **ACID CLEANER**
- Article number: 11985, 11986
- UFI: FTA3-3080-M00N-KD04

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Cleaning agent/ Cleaner

1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH
Lechstrasse 28
D 90451 Nürnberg
- Tel. +49(0)911-642960
Fax. +49(0)911-644456
e-mail info@akemi.de

Further information obtainable from:

Laboratory

1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH
Tel. +49(0)911-64296-59
Reachable during the following office hours:
Monday – Thursday from 07:30 a.m. to 16:30 p.m.
Friday from 07:30 a.m. to 13:30 p.m.

*

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS05 GHS07

Signal word

Danger

Hazard-determining components of labelling:

methanesulphonic acid
2-Propyn-1-ol, comp. with methyloxirane
Alcohols, C13-C15 branched and linear, ethoxylated
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.

Hazard statements

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P260 Do not breathe mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 14

Revision: 11.12.2020

Trade name: ACID CLEANER

(Contd. of page 1)

P310
P403+P233
P405
P501

Immediately call a POISON CENTER/doctor.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/
regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Chemical characterisation: Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 75-75-2 EINECS: 200-898-6 Index number: 607-145-00-4 Reg.nr.: 01-2119491166-34	methanesulphonic acid Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335	25-50%
CAS: 38172-91-7 Reg.nr.: 01-2119976291-33-0000	2-Propyn-1-ol, comp. with methyloxirane Eye Dam. 1, H318 Acute Tox. 4, H302	1-5%
CAS: 157627-86-6 Reg.nr.: 02-2119548515-35-0000	Alcohols, C13-C15 branched and linear, ethoxylated Eye Dam. 1, H318 Acute Tox. 4, H302 Aquatic Chronic 3, H412	1-5%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants

<5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.
Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

Information for doctor: Symptoms in intoxication with acids:
In case of oral intake symptoms depend on concentration and acidity of incorporated acid, and are corrosive eschar in mouth and throat, vomiting, severe dysphagia, shock and coma. Therapy measures: drink plenty of water. Administer 20 g Magnesia usta in milk oral; no hydrogen carbonate oral; pain relief measures; in indication of acidosis infusion of sodium hydrogencarbonate solution(5%).

4.2 Most important symptoms and effects, both acute and delayed

Cramp
Gastric or intestinal disorders
Nausea

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 14

Revision: 11.12.2020

Trade name: ACID CLEANER

(Contd. of page 2)

· **4.3 Indication of any immediate medical attention and special treatment needed**

If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures· **5.1 Extinguishing media**· Suitable extinguishing agents:CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.· **5.2 Special hazards arising from the substance or mixture**

Hydrogen chloride (HCl)

· **5.3 Advice for firefighters**· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures· **6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage· **7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection:

No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**· Storage:· Requirements to be met by storerooms and receptacles:

No special requirements.

· Information about storage in one common storage facility:

Not required.

· Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

· Storage class:

8 B

· **7.3 Specific end use(s)**

No further relevant information available.

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 14

Revision: 11.12.2020

Trade name: ACID CLEANER

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

Additional information about design of technical facilities:

No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs**75-75-2 methanesulphonic acid**

Oral	DNEL (Langzeit-wiederholt)	8.33 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	19.44 mg/kg bw/day (ARB)
		8.33 mg/kg bw/day (BEV)
Inhalative	DNEL (Kurzzeit-akut)	1.44 mg/m ³ Air (BEV)
	DNEL (Langzeit-wiederholt)	0.7-6.76 mg/m ³ Air (ARB)
		1.44-1.73 mg/m ³ Air (BEV)

38172-91-7 2-Propyn-1-ol, comp. with methyloxirane

Oral	DNEL (Langzeit-wiederholt)	0.15 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	1.5 mg/kg bw/day (ARB)
		0.75 mg/kg bw/day (BEV)
Inhalative	DNEL (Langzeit-wiederholt)	2.115 mg/m ³ Air (ARB)
		0.521 mg/m ³ Air (BEV)

PNECs**75-75-2 methanesulphonic acid**

PNEC (wässrig)	100 mg/l (KA)
	0.0012 mg/l (MW)
	0.012 mg/l (SW)
PNEC (fest)	0.00183 mg/kg Trockengew (BO)
	0.00444 mg/kg Trockengew (MWS)
	0.0251 mg/kg Trockengew (SWS)

Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.
 Use skin protection cream for skin protection.
 Clean skin thoroughly immediately after handling the product.
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Do not inhale gases / fumes / aerosols.
 Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
 Filter B

Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.
 After use of gloves apply skin-cleaning agents and skin cosmetics.
 Skin protection agent recommendation for preventive skin shelter without use of protective gloves:
 STOKODERM (<http://www.stoko.com>)

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 14

Revision: 11.12.2020

Trade name: ACID CLEANER

(Contd. of page 4)

Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:

STOKO EMULSION (<http://www.stoko.com>)

Skin protection recommendation for skin cleaning after product handling:

FRAPANTOL (<http://www.stoko.com>)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (<http://www.stoko.com>)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR
Fluorocarbon rubber (Viton)
Nitrile rubber, NBR
Chloroprene rubber, CR
Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Value for the permeation: Level ≤ 6, 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR
Butoject (KCL, Art_No. 897, 898)
Nitrile rubber, NBR
Camatril (KCL, Art_No. 730, 731, 732, 733)
Fluorocarbon rubber (Viton)
Vitoject (KCL, Art_No. 890)
Chloroprene rubber, CR
Camapren (KCL, Art_No. 720, 722, 726)
Neoprene gloves
Nitopren (KCL, Art_No. 717)

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR
Camatril (KCL, 730, 731, 732, 733)
Chloroprene rubber, CR

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 14

Revision: 11.12.2020

Trade name: ACID CLEANER

(Contd. of page 5)

· Not suitable are gloves made of the following materials:

Camapren (KCL, Art_No. 720, 722, 726)

· Eye protection:

Leather gloves
Strong material gloves



Tightly sealed goggles

· Body protection:

Protective work clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· General Information

· Appearance:

Form:	Fluid
Colour:	Yellowish
Odour:	Characteristic

· pH-value at 20 °C: <1

· Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	100 °C

· Flash point: Not applicable.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Vapour pressure at 20 °C: 23 hPa

· Density at 20 °C: 1.17 g/cm³

· Solubility in / Miscibility with water: Not miscible or difficult to mix.

· Viscosity:

Dynamic:	Not determined.
Kinematic at 20 °C:	11 s (DIN 53211/4)

· Solvent content:

Water:	69.5 %
--------	--------

Solids content:	37.0 %
-----------------	--------

· **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability**

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· **10.3 Possibility of hazardous reactions**

Reacts with strong oxidising agents.
Reacts with metals forming hydrogen.

· **10.4 Conditions to avoid**

No further relevant information available.

· **10.5 Incompatible materials:**

No further relevant information available.

· **10.6 Hazardous decomposition products:**

Hydrogen chloride (HCl)

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 14

Revision: 11.12.2020

Trade name: ACID CLEANER

(Contd. of page 6)

* SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	>2,051-<2,360 mg/kg (rat)
Dermal	LD50	3,810-7,619 mg/kg

75-75-2 methanesulphonic acid

Oral	LD50	649 mg/kg (rat)
Dermal	LD50	1,000-2,000 mg/kg (rabbit)
Inhalative	LC50	1.3 mg/l (rat)

38172-91-7 2-Propyn-1-ol, comp. with methyloxirane

Oral	LD50	>464-<2,150 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

157627-86-6 Alcohols, C13-C15 branched and linear, ethoxylated

Oral	LD50	>500-2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
	LC50/48h	1-10 mg/l (Oncorhynchus mykiss)

- Primary irritant effect:
- Skin corrosion/irritation Causes severe skin burns and eye damage.
- Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

* SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

75-75-2 methanesulphonic acid

EC50	560 mg/l (pseudomonas putida)
EC50/48h	70 mg/l (daphnia magna) (OECD 202)
EC20/0.5h	>1,000 mg/l (BES)
LC 0	>1.88 mg/l (mouse)
EC50/30min	>1,000 mg/l (BES)
EC10	>1,000 mg/l (BES)
EC50/72h	12-24 mg/l (Selenastrum capricornutum) (OECD 201)
LC50/96h	73 mg/l (Oncorhynchus mykiss) (OECD 203)

38172-91-7 2-Propyn-1-ol, comp. with methyloxirane

EC50	>10,000 mg/l (pseudomonas putida)
EC10	>100 mg/l (Desmodesmus subspicatus)
EC50/48h	>100 mg/l (daphnia magna)

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 14

Revision: 11.12.2020

Trade name: ACID CLEANER

(Contd. of page 7)

EC50/72h	289.17 mg/l (Skeletonema costatum (Kieselalge))
	>100 mg/l (Desmodesmus subspicatus)
LC50/96h	>100 mg/l (Leuciscus idus)
157627-86-6 Alcohols, C13-C15 branched and linear, ethoxylated	
EC50/48h	1-10 mg/l (daphnia magna)
EC10	>1,000 mg/l (BES)
EC50/72h	1-10 mg/l (Scenedesmus subspicatus)

· **12.2 Persistence and degradability**

No further relevant information available.

· **12.3 Bioaccumulative potential**

No further relevant information available.

· **12.4 Mobility in soil**

No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

· **12.5 Results of PBT and vPvB assessment**

· **PBT:**

Not applicable.

· **vPvB:**

Not applicable.

· **12.6 Other adverse effects**

No further relevant information available.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

20 00 00	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 29*	detergents containing hazardous substances

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

UN3264

· **14.2 UN proper shipping name**

· **ADR**

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (methanesulphonic acid)

· **IMDG, IATA**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (methanesulphonic acid)

(Contd. on page 9)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 14

Revision: 11.12.2020

Trade name: ACID CLEANER

(Contd. of page 8)

· 14.3 Transport hazard class(es)

· ADR



· Class

8 (C1) Corrosive substances.

· Label

8

· IMDG, IATA



· Class

8 Corrosive substances.

· Label

8

· 14.4 Packing group

· ADR, IMDG, IATA

II

· 14.5 Environmental hazards:

· Marine pollutant:

No

· 14.6 Special precautions for user

· Hazard identification number (Kemler code):

Warning: Corrosive substances.

80

· EMS Number:

F-A,S-B

· Segregation groups

Acids

· Stowage Category

B

· Stowage Code

SW2 Clear of living quarters.

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ)

1L

· Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· Transport category

2

· Tunnel restriction code

E

· IMDG

· Limited quantities (LQ)

1L

· Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (METHANESULPHONIC ACID), 8, II

SECTION 15: Regulatory information**· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Directive 2012/18/EU

· Named dangerous substances -
ANNEX I

None of the ingredients is listed.

(Contd. on page 10)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.12.2020

Version number 14

Revision: 11.12.2020

Trade name: ACID CLEANER

(Contd. of page 9)

· REGULATION (EC) No 1907/2006
ANNEX XVII

Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

· Waterhazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

· VOC EU

0.0 g/l

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for alterations

· Relevant phrases

H290 May be corrosive to metals.
 H302 Harmful if swallowed.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H412 Harmful to aquatic life with long lasting effects.
 refer to Technical Data Sheet (TDS)

· Recommended restriction of use

· Department issuing SDS:

Laboratory

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organisation
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Met. Corr. 1: Corrosive to metals – Category 1
 Acute Tox. 4: Acute toxicity - oral – Category 4
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· * Data compared to the previous version altered.

Adaptation in accordance with REACH directive 1907/2006/EC

· Datasheet created on:

07.05.2020

· Replaces version of:

13.12.2019